

WHAT IS CLAIMED IS:

1 1. A file-update apparatus which is able to mount a removable
2 first recording medium storing location information showing
3 a storage location, on the first recording medium, of data
4 constituting a content of a file, and which executes a
5 plurality of update procedures to update the file,
6 comprising:
7 a second recording medium;
8 a progress recording unit operable to record, onto the
9 second recording medium, progress information showing which
10 of the update procedures have been executed in updating the
11 file;
12 a new-data recording unit operable to record, onto the
13 first recording medium, data constituting a content of the
14 file after updating, in a different storage location from
15 the data constituting the content of the file before
16 updating;
17 an update information recording unit operable to record,
18 onto the second recording medium, update information showing
19 the storage location, on the first recording medium, of the
20 data constituting the post-update file content; and
21 an updating unit operable, after the update information
22 has been recorded, to update the location information based
23 on the update information, so as to show the storage location

24 of the data constituting the post-update file content.

1 2. The file-update apparatus of claim 1, wherein
2 the progress information includes information for
3 identifying whether the update information has been recorded,
4 and
5 the file-update apparatus further comprises:
6 a re-updating unit operable, if a predetermined
7 condition is satisfied, to judge whether the update
8 information has been recorded, based on the progress
9 information, and when judged in the affirmative, to update
10 the location information based on the update information,
11 so as to show the storage location of the data constituting
12 the post-update file content.

1 3. The file-update apparatus of claim 2, further comprising:
2 an ID recording unit operable, before the updating of
3 the file, to read unique medium identifier information from
4 the first recording medium, and hold the medium identifier
5 information within the file-update apparatus; and
6 a re-update suppressing unit operable to read medium
7 identifier information from a removable recording medium
8 mounted in the file-update apparatus, compare the read medium
9 identifier information with the held medium identifier

10 information, and suppress the updating of the location
11 information by the re-updating unit if the read medium
12 identifier information does not match the held medium
13 identifier information.

1 4. The file-update apparatus of claim 2, wherein
2 the location information shows storage locations of
3 data constituting contents of all files on the first
4 recording medium,
5 the file-update apparatus targets a plurality of the
6 files for updating,
7 the progress recording unit records progress
8 information for each targeted file,
9 the new-data recording unit conducts, for each targeted
10 file, the recording, onto the first recording medium, of data
11 constituting a content of the file after updating,
12 the update information recording unit conducts the
13 recording of update information, for each file that has
14 undergone data recording by the new-data recording unit,
15 the updating unit conducts, for each file for which
16 update information has been recorded, the updating of
17 location information based on the update information of the
18 file, and
19 the re-updating unit, if the predetermined condition

20 is satisfied, conducts the updating of location information
21 for each file, when judged, based on the progress information
22 of the file, that update information relating to the file
23 has been recorded.

1 5. The file-update apparatus of claim 4, further comprising:

2 a close instruction receiving unit operable to receive
3 a close instruction relating to individual files that have
4 undergone data recording by the new-data recording unit,
5 wherein

6 the progress information includes information for
7 identifying whether a close instruction has been received,
8 the updating unit conducts, for each file, the updating
9 of location information, only after update information
10 relating to the file has been recorded and a close instruction
11 relating to the file has been received, and

12 the re-updating unit, if the predetermined condition
13 is satisfied, conducts the updating of location information
14 for each file, only when judged, based on the progress
15 information of the file, that update information relating
16 to the file has been recorded and a close instruction relating
17 to the file has been received.

1 6. The file-update apparatus of claim 4, wherein

2 the first recording medium stores (i) FAT information
3 showing, for each of a plurality of clusters on the first
4 recording medium, whether data constituting any file content
5 is stored in the cluster, and that clusters storing data
6 constituting the content of the same file are linked, and
7 (ii) directory information showing, for each file on the
8 first recording medium, the first cluster storing data
9 constituting the content of the file,

10 the location information is formed from the directory
11 information and all FAT information except for
12 unused-cluster information, which is FAT information showing
13 clusters that do not store data constituting any file
14 content,

15 the update information relating to each file that has
16 undergone data recording by the new-data recording unit is
17 formed from (i) consecutive-relation information showing
18 that clusters storing data constituting the content of the
19 file after updating are linked, and (ii) entry information
20 showing the first cluster storing data constituting the
21 post-update file content,

22 the updating unit, for each file for which update
23 information has been recorded, updates (i) the FAT
24 information based on the consecutive-relation information
25 of the file, so as to show that clusters storing data

26 constituting the content of the file after updating are
27 linked, and (ii) directory information relating to the file
28 based on the entry information of the file, so as to show
29 the first cluster storing data constituting the post-update
30 file content, and

31 the re-updating unit updates the location information
32 by updating the FAT information based on the
33 consecutive-relation information and the directory
34 information based on the entry information.

1 7. The file-update apparatus of claim 6, further comprising:

2 an area-release unit operable, for each file for which
3 update information has been recorded, to record, onto the
4 second recording medium, free-space information showing that
5 clusters which stored data constituting the content of the
6 file before updating do not store data constituting any file
7 content, wherein

8 the updating unit conducts the updating of the FAT
9 information so that the free-space information is reflected
10 in the unused-cluster information, and

11 the re-updating unit conducts the updating of the FAT
12 information so that the free-space information is reflected
13 in the unused-cluster information.

1 8. The file-update apparatus of claim 7, further comprising:
2 a FAT-information copying unit operable, before the
3 updating of any of the files, to copy the FAT information
4 on the first recording medium into a working FAT area on the
5 second recording medium, as working FAT information; and
6 a close instruction receiving unit operable to receive
7 a close instruction relating to individual files that have
8 undergone data recording by the new-data recording unit,
9 wherein
10 the progress information includes information for
11 identifying whether a close instruction has been received,
12 the new-data recording unit records data constituting
13 post-update file content into clusters not storing data
14 constituting other post-update file content, based on (i)
15 the working FAT information and (ii) the used-area
16 information or the consecutive-relation information,
17 the update information recording unit makes the working
18 FAT information reflect (i) the consecutive-relation
19 information of each file for which a close instruction has
20 been received, and (ii) free-space information that shows
21 clusters which stored data constituting the content of the
22 file before updating do not store data constituting any file
23 content,
24 the updating unit updates the FAT information based on

25 the working FAT information, and
26 the re-updating unit, if the predetermined condition
27 is satisfied, (i) makes the working FAT information reflect,
28 for each file, consecutive-relation information and
29 free-space information that relate to the file, when judged,
30 based on the progress information of the file, that a close
31 instruction relating to the file has been received, (ii)
32 updates the FAT information based on the working FAT
33 information, and (iii) updates the directory information
34 based on the entry information of each file whose progress
35 information shows that a close instruction has been received.

1 9. The file-update apparatus of claim 8, further comprising:
2 an update instruction receiving unit operable, at a
3 time of re-updating, to receive an update instruction
4 indicating that if the first recording medium stores data
5 constituting post-update file content, the location
6 information is to be updated so as to show the storage location
7 of the data, wherein
8 the re-updating unit, if the predetermined condition
9 is satisfied and the update instruction has been received,
10 makes the working FAT information, prior to use in updating
11 the FAT information, reflect for each file,
12 consecutive-relation information and free-space information

13 that relate to the file, when judged, based on the progress
14 information of the file, that update information relating
15 to the file has been recorded.

1 10. The file-update apparatus of claim 1, wherein
2 the first recording medium includes an authentication
3 area and a normal area that are mutually independent, a
4 predetermined access restriction applying to only the
5 authentication area of the two areas,
6 the location information is formed from (i) first
7 location information showing storage locations, within the
8 authentication area, of data constituting contents of all
9 files in the authentication area, and (ii) second location
10 information showing storage locations, within the normal
11 area, of data constituting contents of all files in the normal
12 area,
13 the progress information is formed from (i) first
14 progress information showing, for each file in the
15 authentication area, which of the update procedures have been
16 executed in updating the file, and (ii) second progress
17 information showing, for each file in the normal area, which
18 of the update procedures have been executed in updating the
19 file,
20 the new-data recording unit (i) conducts, for each file

21 in the authentication area targeted for updating, the
22 recording, into the authentication area, of data
23 constituting a content of the file after updating, and (ii)
24 conducts, for each file in the normal area targeted for
25 updating, the recording, into the normal area, of data
26 constituting a content of the file after updating,
27 the update information is formed from (i) first update
28 information showing, for each file in the authentication area
29 that has undergone data recording by the new-data recording
30 unit, the storage location, within the authentication area,
31 of data constituting the post-update file content, and (ii)
32 second update information showing, for each file in the
33 normal area that has undergone data recording by the new-data
34 recording unit, the storage location, within the normal area,
35 of data constituting the post-update file content, and
36 the updating unit (i) conducts, for each file in the
37 authentication area for which first update information has
38 been recorded, the updating of first location information
39 based on the first update information of the file, and (ii)
40 conducts, for each file in the normal area for which second
41 update information has been recorded, the updating of second
42 location information based on the second update information
43 of the file.

1 11. The file-update apparatus of claim 1, wherein
2 the first recording medium is a flash memory, and
3 the second recording medium is a memory that is
4 accessible faster than the first recording medium.

1 12. The file-update apparatus of claim 11, wherein
2 the second recording medium is a RAM, and has power
3 supplied by a power source that is independent from a power
4 source of the first recording medium.

1 13. A file-update method that executes a plurality of update
2 procedures to update a file on a first recording medium
3 storing location information showing a storage location, on
4 the first recording medium, of data constituting a content
5 of the file, comprising the steps of:
6 recording, onto a second recording medium, progress
7 information showing which of the update procedures have been
8 executed in updating the file;
9 recording, onto the first recording medium, data
10 constituting a content of the file after updating, in a
11 different storage location from the data constituting the
12 content of the file before updating;
13 recording, onto the second recording medium, update
14 information showing the storage location, on the first

15 recording medium, of the data constituting the post-update
16 file content; and

17 updating, after the update information has been
18 recorded, the location information based on the update
19 information, so as to show the storage location of the data
20 constituting the post-update file content.

1 14. The file-update method of claim 13, wherein
2 the progress information includes information for
3 identifying whether the update information has been recorded,
4 and

5 the file-update method further comprises the step of:
6 judging, if a predetermined condition is satisfied,
7 whether the update information has been recorded, based on
8 the progress information, and when judged in the affirmative,
9 updating the location information based on the update
10 information, so as to show the storage location, on the first
11 recording medium, of the data constituting the post-update
12 file content.

1 15. A computer program for having an apparatus that includes
2 a CPU execute file-update processing in which a plurality
3 of update procedures are executed to update a file on a first
4 recording medium storing location information showing a

5 storage location, on the first recording medium, of data
6 constituting a content of the file, the file-update
7 processing comprising the steps of:
8 recording, onto a second recording medium, progress
9 information showing which of the update procedures have been
10 executed in updating the file;
11 recording, onto the first recording medium, data
12 constituting a content of the file after updating, in a
13 different storage location from the data constituting the
14 content of the file before updating;
15 recording, onto the second recording medium, update
16 information showing the storage location, on the first
17 recording medium, of the data constituting the post-update
18 file content; and
19 updating, after the update information has been
20 recorded, the location information based on the update
21 information, so as to show the storage location of the data
22 constituting the post-update file content.